

### Achieve a uniform look with a warm tone

Our new Clay colour is particularly suitable for painting acoustic panels based on FUTURECEM $^{TM}$  cement. Panels achieve a uniform colour with a warm glow.

Calcined clay helps give the new FUTURECEM cement type a lower carbon footprint than traditional cement. Clay also gives the cement a distinctive warm tone, which is clearly evident in the unpainted Troldtekt panels based on FUTURECEM. However, the colour can vary considerably in individual panels and across the entire ceiling surface.

Troldtekt is now launching a completely new colour – we call it Clay 210 – suitable for painting Troldtekt panels based on FUTURECEM. The paint ensures a uniform look while preserving the characteristic tone of the clay.





#### Cradle to Cradle

Troldtekt has kick-started the process of obtaining Cradle to Cradle certification for Troldtekt acoustic panels in clay – and we expect certification to be completed soon. All Troldtekt acoustic panels in natural and standard colours are already Cradle to Cradle certified at Gold level.

# An acoustic solution with a distinctive design

When you choose Troldtekt based on FUTURECEM, you're free to design ceilings and walls according to your own wishes.


Troldtekt based on FUTURECEM is available in several different standard and special colours:











Clay 210

Grey 202

Grey 208

Black 207

Custom colours



## New type of cement – even more advantages

Choose acoustic panels with a reduced carbon footprint

Over their entire product life cycle, the carbon footprint of Troldtekt acoustic panels based on FUTURECEM is:

- > 26 per cent lower than that of Troldtekt based on grey cement
- > 38 per cent lower than that of Troldtekt based on white cement

You achieve exactly the same good acoustics, effective fire protection and natural strength as with classic Troldtekt panels.



#### Order your sample

Would you like to order samples of Troldtekt based on FUTURECEM in the new Clay 210 colour? Then contact Troldtekt at salg@troldtekt.dk or fill out the form at > troldtekt.dk/kontakt/vareproever

